WINDOWS AND SLIDING GLASS DOOR COMPLIANCE
BUILDING DEPARTMENT

Planning and Development Division
3015 Market, Galveston, TX 77550
(409)797-3620
planningcounter@galvestontx.gov
www.galvestontx.gov

I. PROPERTY INFORMATION

Street Address/Location, or Legal Description (Lot Number, Block Number, Subdivision)

II. APPLICANT INFORMATION

Property Owner Name

Telephone

E-mail Address

Applicant/Representative Name

Telephone

E-mail Address

1. Description of work: New ☐ Replacement ☐
2. How many windows and how many doors? _____Doors _____Windows

*By signing I confirm that all windows and sliding glass doors installed in the above address comply with2021 IRC:

WINDOWS

R310.2 Emergency escape and rescue openings. *Emergency escape and rescue openings* shall have minimum dimensions in accordance with Sections R310.2.1 through R310.2.4.

R310.2.1 Minimum size. *Emergency escape and rescue openings* shall have a net clear opening of not less than 5.7 square feet (0.530 m2).

Exception: The minimum net clear opening for *grade floor emergency escape and rescue openings* shall be 5 square feet (0.465 m2).

R310.2.2 Minimum dimensions. The minimum net clear opening height dimension shall be 24 inches (610 mm). The minimum net clear opening width dimension shall be 20 inches (508 mm). The net clear opening dimensions shall be the result of normal operation of the opening.

R310.2.3 Maximum height from floor. Emergency escape and rescue openings shall have the bottom of the clear opening not greater than 44 inches (1118 mm) above the floor.

PLEASE NOTE THAT WINDOWS ARE NOT REQUIRED TO BE IMPACT RESISTANT IF IN COMPLIANCE WITH R301.2.1.2, EXCEPTION.

DOORS

R310.3 Emergency escape and rescue doors. Where a door is provided as the required *emergency escape and rescue opening*, it shall be a side-hinged door or a sliding door.

_____ _____

Signature of Property Owner /Applicant Date